

WIS Series Wound Chip Inductor Size 1210


CHARACTERISTICS

- Small size and higer inductance available
- Small tolerance available
-


APPLICATION

- Filter
-

Dimensions: [mm]



Land Pattern: [mm]



Electrical Properties:

				25.2			
				25.2			
				25.2			
				25.2			
				25.2	525		
				25.2			
				25.2			
				25.2			
				25.2	395		
				25.2			
				25.2			
				7.96	295		
				7.96	255		
				7.96			
				7.96			

	2.2			7.96			
	2.7			7.96	65		
	3.3			7.96	55		
	3.9			7.96			
				7.96			
	5.6			7.96			
				7.96	35		
				7.96			
				2.52			
				2.52		2.5	
				2.52	25		
				2.52	22	3.3	
	22			2.52		3.7	
	27			2.52			
	33			2.52		5.6	
	39			2.52			65
				2.52			
	56			2.52			55
				2.52			
				2.52			
					9		
					7		65


°C

°C


°C

Typical Electrical Characteristics:


Temperature Rise VS. Current Characteristics:




Impedance VS. Frequency Characteristics:




Temperature Rise VS. Current Characteristics:



Impedance VS. Frequency Characteristics:



Temperature Rise VS. Current Characteristics:



Impedance VS. Frequency Characteristics:

